

Notice of Allowability

Application No.

09/871,270

Examiner

Regina Liang

Applicant(s)

CLAPPER, EDWARD O.

Art Unit

2674

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 9/10/04.
2. ☒ The allowed claim(s) is/are 1-6, 9, 11-20, 22-28, 31, 33-35 and 37.
3. ☒ The drawings filed on 31 May 2001 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____ |

Art Unit: 2674

1. The following is an examiner's statement of reasons for allowance: none of prior art teach or suggest a user-input device having an activatable element disposed between a first and opposite ends of a housing, and a controller to indicate a position of the first end and the opposite end and to cause one or more pixels of a display device to activate based on the indicated position of at least the first end and in response to an activation of the activatable element as recited in independent claims 1 and 17.

None of prior art teach or suggest an user-input device comprising determining, in the user-input device, a distance of a first end and a second end of the user-input device relative to a display device, and activating one or more pixels of the display device based on the determined distance as claimed in independent claim 12.

Williams (US.PUB. NO. 2002/0163510) discloses an input-input device comprising a controller transmitting ballistic information of the user input device to the computer, however, Williams does not teach or suggest a user-input device comprising a controller to receive signals from a plurality of sensors located on a display device of a processor-based system and transmit information to the processor-based system regarding a position of the user-input device, and cause one or more pixels of the display device to activate based on the transmitted information as claimed in independent claim 26.

None of prior art teach or suggest a digital airbrush device comprising an activatable element coupled to the housing to activate the digital airbrush peripheral, a controller to cause air to be generate in response to an activation of the activatable element, and a processor to generate one or more sounds in response to a selection of the activatable element as claimed in independent claim 31.


Art Unit: 2674

2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Regina Liang whose telephone number is (703) 305-4719. The examiner can normally be reached on Monday-Friday from 9AM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Hjerpe, can be reached on (703) 305-4709. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.


REGINA LIANG
PRIMARY EXAMINER
ART UNIT 2674

RL
10/29/04
4.